

## **Historic, archived document**

Do not assume content reflects current scientific knowledge, policies, or practices.



69P

# THE PLANT DISEASE REPORTER


Issued By

## THE PLANT DISEASE SURVEY

Division of Mycology and Disease Survey  
BUREAU OF PLANT INDUSTRY, SOILS, AND AGRICULTURAL ENGINEERING  
AGRICULTURAL RESEARCH ADMINISTRATION  
UNITED STATES DEPARTMENT OF AGRICULTURE

SUPPLEMENT 160

INDEX TO SUPPLEMENTS 152-159, 1945



Supplement 160

Issued June 15, 1946



The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Division of Mycology and Disease Survey serves merely as an informational clearing house. It does not assume responsibility for the subject matter.



PLANT DISEASE REPORTER SUPPLEMENT

Issued by

THE PLANT DISEASE SURVEY  
DIVISION OF MYCOLOGY AND DISEASE SURVEY

Plant Industry Station

Beltsville, Maryland

INDEX TO SUPPLEMENTS 152-159, 1945

Plant Disease Reporter  
Supplement 160

June 15, 1946

LIST OF SUPPLEMENTS

- Supplement 152. The value of plant disease surveys in extension, research, and quarantine programs, pp. 3-16. Jan. 15, 1945. Articles by CHARLES CHUPP, NEIL E. STEVENS, and W. A. McCUBBIN
- Supplement 153. Southern Cooperative Corn Disease Research Committee report for 1944. pp. 18-29. Feb. 1, 1945. By J. HARVEY McLAUGHLIN
- Supplement 154. Viruses described primarily on leguminous vegetable and forage crops. pp. 32-80. Mar. 1, 1945. By FREEMAN WEISS
- Supplement 155. Viruses, virus diseases, and similar maladies of potatoes, Solanum tuberosum L. pp. 82-140. Apr. 1, 1945. By FREEMAN WEISS
- Supplement 156. Forecast of serious wheat leaf rust epiphytotic. pp. 142-146. Apr. 7, 1945. Articles by K. STARR CHESTER and HOWARD W. LARSH; and by C. O. JOHNSTON
- Supplement 157. Symposium on new developments in fungicides. pp. 149-166. Apr. 15, 1945. Articles by FRANK L. HOWARD, J. W. HEUBERGER, and JAMES G. HORSFALL, and notes by HOWARD P. BARSS
- Supplement 158. Viruses described primarily on ornamental or miscellaneous plants, II. pp. 168-200. May 15, 1945. By PHILIP BRIERLEY
- Supplement 159. Results of cooperative corn, flax, and soybean seed treatment tests in 1944. pp. 203-224. Oct. 15, 1945. Respectively by GEORGE SEMENIUK; F. J. GREANEY; and W. B. ALLINGTON, G. C. KENT, I. W. TERVET, and BENJAMIN KOEHLER
- Supplement 160. INDEX to Supplements 152-159. 1945. pp. 225 to 233. (Issued June 15, 1946)

INDEX

- Abaca: bunchy top virus, description, etc., 185; mosaic (cucumber virus) 186, 188
- Acanthaceae, hosts for viruses: alfalfa mosaic 39; *Justicia virescens* 178
- Aceratagallia, virus vector, 115
- Acronecrosis, of potato, 126
- Acropetal necrosis, of potato, 127
- Agallia, virus vector, 115
- Aizoaceae: hosts alfalfa mosaic virus 39
- Albication, of broadbean, 80
- Alfalfa: viruses, description, hosts, etc. 36-42; phyllody (? big bud virus) 74
- Alternaria* sp., assoc. with corn seedling disease, 214
- Amaranthaceae, hosts for viruses: alfalfa mosaic 39; potato mottle 86
- Antagonism, and synergism, of ingredients in fungicides, 162
- Aphis, virus vectors, 36, 44, 48, 52, 61, 66, 67, 69, 90, 94, 108, 122, 186, 195
- Apical leafroll, of potato, 127
- Apical leaf speck, of potato, 127
- Apocynaceae, hosts for viruses: alfalfa mosaic 39; potato witches'-broom 112
- Apple: scab in Hood River Valley 8; storage spotting 3
- Arabis* mosaic virus, description etc., 169
- Asclepiadaceae: hosts for aster yellows virus 169
- Aster yellows virus, description etc., 169; on potato (purple-top wilt) 118
- ---, California strain, description, etc. 170; on potato 120
- ---, delphinium virescence strain, 125
- Aucklander short-top necrosis, of potato, 128
- Bacteria assoc. corn crown disease, 214
- Bacterial wilt, of sweet corn, 9
- Balsaminaceae: hosts for alfalfa mosaic virus 39
- Banana: bunchy top virus, description etc. 187; infectious chlorosis (cucumber mosaic virus) 186
- Banded chlorosis, of flowering cherry, 189
- Barbarea vulgaris*: potato yellow-dwarf virus, 114
- Bean: mosaics, 33, description etc. of viruses, 43-50; other virus and similar diseases 34, 75-76
- , adzuki: mosaic (virus) 74
- , lima: black root (virus suspected) 75; mosaic, description etc. of virus, 50; phyllody (? big bud virus) 74; yellows (assoc. leafhopper) 76
- Bean virus 3, on bean 74
- Bemisia*, virus vector, 182
- Bigarrure, of potato, 128
- Big-bud virus, on potato 125; possibly cause of phyllody on legumes 74
- Black root, of bean, 75
- Blattrollkrankheit, of potato 128
- Blue stem, of potato, 128
- Bolter, of potato, 128
- Boraginaceae: hosts for alfalfa mosaic virus 39
- Bouquet, of potato, 128
- Brevicoryne*, virus vector, 44
- Broadbean, see *Vicia faba*
- Brooming, of locust, 190
- Brown-streak, of cassava, 180
- Browning, of lupine, 73
- Bud blight, of soybean, 78
- Bukettkrankheit, of potato, 128
- Bunchy top, of abaca 185; banana 187
- Cacao viruses, description etc., red-mottle 197; swollen-shoot 198; vein-clearing 199
- Calico, of potato, 41, 117
- Camellia: tea phloem-necrosis

- (Camellia) virus, description etc. 171
- Canavalia ensiformis: mosaic (virus) 71; yellows 76
- Cannabis: hemp streak virus, description etc. 172
- Capitophorus, virus vector, 52
- Capparidaceae: hosts for alfalfa mosaic virus, 39
- Capsicum frutescens: potato calico 117
- Carica papaya: mosaic virus 173
- Caricaceae: hosts for papaya mosaic virus 173
- Carnation viruses, description etc., mosaic 176, streak 177; yellows virus complex 177
- Carneocephala, virus vector, 37
- Caryophyllaceae, hosts for viruses: aster yellows 170, carnation mosaic 176, carnation streak 178, pea mottle 56
- Cassava viruses, description etc., brown-streak 180; mosaic 181
- Cassia corymbosa: common pea mosaic 52
- Cavariella, virus vector, 52
- Celery: alfalfa mosaic virus, 40
- Cephalosporium acremonium, isolated from corn mesocotyls, 22
- Cerotoma, virus vector, 69
- Chaetomium sp., on corn seed, 207
- Chenopodiaceae, hosts for viruses: alfalfa mosaic 39; Cuscuta latent 175; pea mottle 56; potato mottle 86; potato witches'-broom 112
- Chrysanthemum leucanthemum var. pinnatifidum: potato yellow-dwarf virus 114
- Chocolate spot, of potato, 128
- Cineraria: mosaic virus, description etc. 195; streak virus a strain of spotted wilt virus 195
- Cladosporium pox, of cucumber, control 4
- Clover: see Trifolium
- , sweet: see Melilotus
- Compositae, hosts for viruses: alfalfa mosaic 39; aster yellows 170; cineraria mosaic 195; potato (Compositae) yellow-dwarf 114
- Concentric necrosis, of potato 128
- Control, of cucumber Cladosporium 4; tomato Septoria 4
- programs, and plant disease surveys, 8
- Convolvulaceae, hosts for viruses: Cuscuta latent 175; potato severe mosaic 89
- Corn: breeding, importance of field observations, 7; fungi assoc. crown disease 214, in seed 18, 207, isolated from necrotic mesocotyls and primary roots 22, 212; mesocotyl necrosis 22, 210; seed treatment tests in Central and Northern States 203, in Southern States 18; seedling root necrosis 210
- , sweet: bacterial wilt forecasts, 9
- Cowpea: mosaic virus, description etc. 68; yellows 76
- Crassulaceae: hosts for potato yellow-dwarf virus, 114
- Crinkle, (undet.) of Crotalaria 71; (virus) of potato, 129
- Crop breeding programs, importance of field observations, 7
- Crop loss estimates, research on improving 6, use in plant disease forecasting 9
- Crotalaria: virus and similar diseases 71
- Crown disease, of corn, 214
- Cruciferae, hosts for viruses: Arabis mosaic 169; aster yellows 170; Cuscuta latent 175; Levisticum mosaic 179; potato severe mosaic 89; potato yellow-dwarf 114
- Cucurbitaceae, hosts for viruses: alfalfa mosaic 39; Arabis mosaic 169; Cuscuta latent 175; Levisticum mosaic 179; pea mottle 56; pea New Zealand streak 59; potato calico 117
- Cucumber: Cladosporium pox, control by seed treatment and rotation, 4
- Cuerna, virus vector, 37
- Curly top virus, on bean 75,

- (Curly top virus) on potato 121  
 Curly dwarf, of potato, 129  
 Curvularia, assoc. corn seedling disease, 214  
 Cuscuta latent virus, description etc. 174  
 Cyamopsis psoraloides: top necrosis 72
- Dahlia mosaic virus, description etc. 176  
 Delphinium virescence or yellows, 125  
 Di Vernon streak, of potato, 129  
 Diplodia zeae, 207, 214  
 Dipsacaceae: hosts for aster yellows virus 170  
 Disomycha, virus vector, 110  
 Dithiocarbamic acid derivatives as fungicides and insecticides, 156  
 Dodder as virus vector: cranberry false-blossom 121; Cuscuta latent 175; pea mottle 56; potato witches'-broom 113; red clover yellow veinal chlorosis 79; tobacco streak 49  
 Draeculacephala, virus vector, 37  
 Dwarf (virus), of alfalfa, 36
- Eisenfleckigkeit, of potato, 129  
 ---, erbliche, of potato, 129  
 Elm phloem-necrosis virus, description etc. 199  
 Elsinöe piri, 15  
 Empoasca, virus vector, 76, 115  
 Enroulement, of potato, 129  
 Epatrix, virus vector, 110  
 Etch, tobacco, on potato 123  
 Euphorbiaceae, hosts for cassava viruses: brown-streak 180, mosaic 181  
 Eutettix, virus vector, 121  
 Experiment and observation in research, 6  
 Extension problems, and plant disease surveys, 3
- False-blossom, cranberry, on potato, 121  
 Filosité, of potato, 129
- Flax: seed treatment tests, 215  
 Flowering cherry banded-chlorosis virus, description etc. 189  
 Forecast of serious wheat leaf rust epiphytotic, Suppl. 156, pp. 142-146  
 Forecasting, of plant diseases, 9  
 Foliar mottle, of potato 129  
 Foliar necrosis, of potato 129  
 Frankliniella, virus vector, 126  
 Frisolée, of potato, 129  
 Fungicide symposium, 149-166  
 Fungicides, for seed treatment tests, corn 18, 203; flax 215; soybean 223  
 ---, dithiocarbamic acid derivatives, 156  
 ---, quaternary ammonium derivatives, 150  
 ---, synergism and antagonism, 162  
 Fusarium spp., on corn, 22  
 --- moniliforme, on corn, 18, 22, 207, 212, 214
- Gelbfleckigkeit, of potato, 130  
 Gesneriaceae: hosts for alfalfa mosaic virus 39  
 Giant hill, of potato, 130  
 Gibberella sp., corn seedling disease, 214  
 Glanzkrankheit, of potato, 131  
 Gothic, of potato, 131  
 Grape: Pierce's disease (alfalfa dwarf virus), description of virus, etc., 36  
 Grey speck, of potato, 131  
 Guar: see Cyamopsis
- Hair sprout, of potato, 131  
 Haywire, of potato, 131  
 Healthy potato virus, of potato, 131  
 Heart leaf, of potato, 131  
 Helminthosporium sp., corn seedling disease, 212, 214  
 --- pedicellatum, 212  
 Helochara, virus vector, 37  
 Hemp streak virus, description, etc., 172  
 Hyalopterus, virus vector, 44  
 Hydrophyllaceae: hosts for alfalfa mosaic virus, 39



- Insects as virus vectors: see individual insect names
- Internal brown spot, of potato, 132
- Internal rust spot, of potato, 132
- Interveinal mosaic, of potato, 134
- Jassus, virus vector, 192
- Justicia virescence virus, description etc. 178
- Kräuselkrankheit, of potato, 132
- Kringerigheid, of potato, 132
- Labiatae, hosts for viruses: alfalfa mosaic 39; aster yellows 170; potato yellow-dwarf 114
- Latent virus, of *Cuscuta* 174; potato 132
- Lathyrus odoratus*: common pea mosaic virus 52; pea enation mosaic virus 54; red clover vein-mosaic virus 63; other virus and similar diseases 72
- *pusillus*: symptomless carrier of bean leaf wilt 75
- Leaf curl, of potato 132
- Leaf-curl mosaic, of sandal, 191
- Leaf-drop streak, of potato, 132
- Leafroll, of broadbean 80; of potato 106 (virus), 108 (non-virus)
- Leaf-twisting, of potato, 132
- Leaf wilt virus, of bean, 75
- Leguminosae, hosts for viruses: *Arabis* mosaic 169; *Levisticum* mosaic 179; potato calico 117; potato mottle 86; potato severe mosaic 90; potato yellow-dwarf 114; viruses described primarily on legumes 33, 35-70; other viruses and virus or similar maladies reported on legumes 33, 70-80
- Leptinotarsa, virus vector, 110
- Lepto-necrosis, of potato, 132
- Levisticum* mosaic virus, description etc. 179
- Liliaceae: hosts for lily rosette virus, 180
- Lily rosette virus, hosts 180
- Little leaf, of potato, 133
- Lobeliaceae: hosts for alfalfa mosaic virus 39
- Local-lesion virus, of broadbean, 80
- Locust brooming virus, 190
- Lupinus: common pea mosaic virus 52; virus and similar diseases 73
- Lygus*, virus vector, 110
- Macrosiphum*, virus vector, 40, 41, 44, 48, 52, 54, 59, 61, 64, 66, 67, 68, 69, 79, 90, 94, 101, 107, 110, 115, 117
- Macrosteles*, virus vector, 119
- Mahogany browning, of potato, 133
- Maladie des tâches en couronne, of potato, 133
- Malvaceae, hosts for viruses: alfalfa mosaic 39; aster yellows 170; *Levisticum* mosaic, 179
- Manihot* spp.: cassava mosaic virus 181
- Marginal leafroll, of potato, 133
- Mealy bugs, 198
- Medicago lupulina*: pea mottle virus 56
- Medullary necrosis, of potato, 133
- Melanoplus*, virus vector, 111
- Melilotus*: mosaic (yellow bean mosaic virus), virus description etc., 47; other virus and similar diseases 73
- Mesocotyl necrosis, of corn, 22, 210
- Mesohomotoma*, virus vector, 198
- Monocraat virus, of potato, 133
- Moonia*, virus vector, 193
- Moraceae, hosts for viruses: hemp streak 172; mulberry mosaic 184
- Moron disease, of potato, 133
- Mosaic, mosaic virus. See also in lists pp. 33-34 (legumes), 83, 133-135 (potato), 168 (ornamentals etc.)
- , alfalfa, on pea 59
- , cucumber, on abaca 186,

- (Mosaic, cucumber) on abacá 186,  
 banana 188, bean 75, pea 77,  
 potato 121  
 ---, tobacco, on potato 123  
 Mottle (virus), of pea 55; potato 84  
 Mucor spp., on corn seed, 207  
 Mulberry mosaic virus, description etc. 184  
 Musaceae, hosts for viruses: abaca  
   bunchy top 185; banana bunchy top 187  
 Myzus, virus vector, 40, 44, 50,  
 52, 61, 66, 69, 75, 79, 90, 94,  
 101, 104, 107, 108, 110, 115,  
 178  
 Necrotic spot (undet.) of peanut,  
 70  
 Neokolla, virus vector, 37  
 Net necrosis, of potato, 135  
 Non-infectious chlorosis, of pota-  
 to 136  
 Nyctaginaceae: hosts for alfalfa  
 mosaic virus, 39  
 Oats: rust, effect of delayed  
 seedling, 146  
 Observation and experiment in  
 research, 6  
 Onagraceae: hosts for alfalfa  
 mosaic virus, 39  
 One-sided variegation (genetic)  
 of bean, 75  
 Onion: rot in storage 3  
 Pale dwarf (? non-par.), of  
 peanut, 71  
 Papaveraceae: hosts for alfalfa  
 mosaic virus 39  
 Papaya mosaic virus, description  
 etc., 172  
 Paper-leaf, of potato, 136  
 Paracrinkle virus, of potato, 99  
 Pea: alfalfa mosaic virus causing  
 streak, 59; typical viruses of  
 pea 33, description etc. 51-60;  
 other virus and similar maladies,  
 34, 77-78  
 Peanut: rosette virus, descrip-  
 tion etc., 35; other virus and  
 similar maladies 33, 70  
 Pear: Elsinoë piri, new to U. S.,  
 15  
 Penicillium spp., on corn seed,  
 18, 207  
 Pentalonia, virus vector, 186, 188  
 Phloem necrosis, of elm 199;  
 potato 136; tea 171  
 Phoma sp. (chlamyospore-forming  
 fungus) on corn, 212, 213, 214  
 Phomopsis tuberivora, 15  
 Phytolaccaceae, hosts for viruses:  
 alfalfa mosaic 39; Cuscuta  
 latent 175  
 Plant disease forecasting, and  
 plant disease surveys, 9  
 Plant disease surveys: functions  
 13; relation to extension 3,  
 quarantine and regulatory ac-  
 tivities 13, research 6; types  
 of projects 5  
 Plant quarantines, and plant dis-  
 ease surveys, 13  
 Plantaginaceae, hosts for viruses:  
 aster yellows 170; Cuscuta  
 latent 175  
 Plumbaginaceae: hosts for alfalfa  
 mosaic virus 39  
 Pock mosaic, of lupine, 73  
 Polemoniaceae: hosts for alfalfa  
 mosaic virus 39  
 Polygonaceae, hosts for viruses:  
 alfalfa mosaic 39; aster  
 yellows 170; Cuscuta latent 175;  
 potato yellow-dwarf 115  
 Portulacaceae: hosts for aster  
 yellows virus 170  
 Potato: tuber rot (Phomopsis  
 tuberivora) new to U. S. 15;  
 viruses, virus diseases, and  
 similar maladies 82-140, see  
 list p. 83  
 President streak, of potato, 136  
 Primulaceae, hosts for viruses:  
 alfalfa mosaic 39; Cuscuta  
 latent 175  
 Propfenbildung, of potato 136  
 Pseudo-net necrosis, of potato,  
 136  
 Psyllid yellows, of potato 136  
 Puccinia rubigo-vera var. secalis,  
 145  
 --- --- var. tritici, 142, 145  
 Punctate necrosis, of potato 137

- Purple dwarf, of potato 118  
 Purple-top wilt, of potato 118, 137  
 Pythium, on corn seedlings 214  
 --- debaryanum, in soil, 207
- Quaternary ammonium derivatives, as fungicides, 150-154  
 Quotations: from K. Starr Chester 6, Dampier 6, C. M. Haenseler 6, Luke 12, Lord Moynihan 7, R. A. St. John 6
- Ranunculaceae, hosts for viruses: alfalfa mosaic 39; potato mottle 86  
 Rauhmosaik, of potato 138  
 Red-mottle, of cacao, 197  
 Red node, of bean 76  
 Research and plant disease surveys 6  
 Results of cooperative corn, flax, and soybean seed treatment tests in 1944, Suppl. 159, pp. 203-224  
 Rhamnaceae: hosts for Zizyphus spike virus, 200  
 Rhizopus spp. on corn seeds, 18  
 Rhopalosiphum, virus vector, 44, 52, 186  
 Ringspot, of bean 76; pea 78; peanut 71; potato 124, 138; red clover 79; sweetclover 73  
 Rosaceae, hosts for viruses: aster yellows 170; flowering cherry banded chlorosis 189  
 Rose viruses (mosaic, streak, wilt), 190  
 Rosette, of lily 180; peanut 35; Stachytarpheta 196  
 Rot, of onion in storage, 3  
 Rudbeckia hirta: potato yellow-dwarf virus, 114  
 Rusty spot, of potato 138  
 Rye: leaf rust 145  
 Rynkesyge, of potato 138
- Sandal: leaf-curl mosaic virus, description etc. 191; spike virus, description etc. 191; spike-like symptoms from other causes 193
- Santalaceae, hosts for viruses: sandal leaf-curl mosaic 191; sandal spike 192  
 Scab, of apple, 8  
 Scaphytopius, virus vector, 42  
 Scrophulariaceae, hosts for viruses: alfalfa mosaic 39; aster yellows 170; pea mottle 56; potato mottle 86; potato yellow-dwarf 115  
 Seed-borne fungi, on corn, 22, 207  
 Seed transmission, of viruses, 44, 48, 52, 54, 61, 65, 66, 68, 69, 91, 102, 108, 172, 175, 198, 200  
 Seed treatment, of cucumber for Cladosporium 4; of tomato for Septoria blight 4; value of 4  
 --- --- studies with corn, 18, 203  
 Seedling disease, of corn, 210  
 Septoria blight, of tomato, control 4  
 Sesbania macrocarpa: symptomless carrier of bean yellow necrosis, 76  
 Solanaceae: hosts for viruses, alfalfa mosaic 40, Arabis mosaic 169, aster yellows 170, Cuscuta latent 175, Levisticum mosaic 179, potato viruses and other viruses affecting potato see list p. 83; psyllid yellows 136  
 Sore shin (common pea mosaic virus), of lupine, 73  
 Southern Cooperative Corn Disease Research Committee Report for 1944, Suppl. 153, pp. 18-29  
 Soybean: seed treatment tests 220; viruses and virus-like diseases, phyllody (? big-bud virus) 74, soybean mosaic virus, description, etc., 60, top necrosis (bud blight, streak) 78, yellow necrosis 76  
 Speckle mosaic, of lupine, 73  
 Spike (virus), of sandal 191; Stachytarpheta 197; Zizyphus 200  
 Spike-like diseases on various hosts in sandal spike area, 193  
 Spinach leaf, of potato, 138

- Spindle-tuber (virus), of potato 110
- Spindling sprout, of potato 138
- Spindling tuber, of potato, 138
- Spot necrosis, of potato 138
- Spotted wilt virus, on pea 59, 78; potato 126; sweetpea 72
- ---, cineraria streak virus strain, 195
- Spotting, of apples in storage, 3
- Spraying, of potato, 138
- Stachytarpheta viruses, description etc., mosaic 196; rosette 196; spike 197
- Stem-end browning, of potato 138
- Sterculiaceae, hosts for cacao viruses: red-mottle 197; swollen shoot 198; vein-clearing 199
- Stipple-streak, of potato, 138
- Storage disease problems, 3
- Streak (virus), of carnation 177; guar 72; hemp 172; pea 78; potato 139; rose 190; soybean 78; sweetpea 73
- , alfalfa mosaic virus, on pea 59
- , American, of pea, 58
- , Canada, of potato, 105
- , Di Vernon, of potato, 92
- , New Zealand, of pea, 59
- , President, of potato, 136
- , tobacco, on sweetclover, 49
- , Up-to-Date, of potato, 139
- Stunt (virus), of peanut 71
- Sweetclover: see Melilotus
- Swollen shoot, of cacao, 198
- Symposium on new developments in fungicides, Suppl. 157, pp. 149-166
- Synergism and antagonism, of ingredients in fungicides, 162
- Systemic necrosis (streak), of pea, 56, 58
- Systema, virus vector, 110
- Tea phloem-necrosis virus, description etc. 171
- Ternstroemiaceae: hosts for tea phloem-necrosis virus, 171
- Thamnotettix, virus vector, 125
- Thrips, virus vector, 126
- Tip blight virus, on potato, 126
- Tobacco: host for potato severe mosaic virus 89
- Tobacco viruses, etch on potato 123; mosaic on potato 123; ring spot on bean 76, pea 78, potato 124, red clover (?) 79, soybean 78, sweetclover 34; streak on sweetclover 49
- Tomato: psyllid yellows 136; Septoria blight, control without field spraying 4
- Top necrosis, of guar 72; potato 139; soybean 78
- Toxoptera, virus vector 198
- Trichoderma sp., on corn 22, 214
- Trifolium spp.: viruses, see lists p. 33, 34; also broadbean local lesion virus 80; pea common mosaic 52, 63; pea mottle 56; pea wilt 57; potato yellow-dwarf 79, 114
- Tuber-blotch, of potato, 103
- Ulmaceae: hosts for elm phloem-necrosis virus 199
- Umbelliferae, hosts for viruses: alfalfa mosaic 40; Cuscuta latent 175; Levisticum mosaic 179
- Unmottled curly dwarf, of potato 111, 139
- Up-to-Date streak, of potato, 139
- Value of Plant Disease Surveys in extension, research, and quarantine programs, Suppl. 152, pp. 2-16
- Veinbanding, of potato 139
- Vein-clearing, of cacao, 199
- Verbenaceae, hosts for Stachytarpheta viruses: mosaic 196; rosette 196; spike 197
- Vicia faba (broadbean): viruses and virus diseases, see lists pp. 33, 34; also pea enation mosaic virus 54; red clover vein-mosaic virus 63
- Vigna sesquipedalis: asparagus-bean mosaic virus, description

- (Vigna, asparagus-bean mosaic) etc.  
68
- *sinensis*: see cowpea
- Vira-cabeça, of potato 139
- Virescence, of *Justicia*, 178
- Virus, virus disease, see under  
hosts and individual names
- Viruses described primarily on  
leguminous vegetable and forage  
crops, Suppl. 154, pp. 32-80
- Viruses described primarily on  
ornamental or miscellaneous  
plants II, Suppl. 158, pp.  
168-200
- Viruses, virus diseases, and  
similar maladies of potatoes,  
*Solanum tuberosum* L., Suppl.  
155, pp. 82-140
- Vitaceae: hosts for alfalfa  
dwarf virus, 37
- Weather relations, of wheat leaf  
rust, 142
- Wheat: breeding programs,  
(Wheat, breeding programs) impor-  
tance of field observations, 7;  
condition in southern Plains  
area 145; leaf rust, forecast  
of epiphytotic, 142, overwin-  
tering 145
- Wilding, of potato, 139
- Wilt (virus), of pea 57; rose 190
- Witches'-broom (undet.), of bean  
76; *Crotalaria* 72; lima bean  
76
- (virus), of alfalfa 42;  
potato 112, 139
- Yellow dwarf (potato virus), on  
clovers 79; potato 114, 140
- Yellow mottle, of potato, 149
- Yellow necrosis, of bean, 76
- Yellow top, of potato, 140
- Yellows, of bean 76; carnation  
177; cowpea 76; lima bean 76
- Zizyphus spike virus, descrip-  
tion etc. 200

